STUDENT PROJECTS 2020 Children's Cancer Institute











Curing childhood cancer. It's not if. It's when.

STUDENT PROJECTS 2020 INDEX



Message from our Executive Director	3
Student support	4
Information on becoming a student at the Institute	5
Cancer And Stem Cell Biology	6
Computational Biology	8
Experimental Therapeutics	10
Functional Genomics of Leukaemia	16
Gene Dysregulation	18
Leukaemia Biology	20
Embryonal Cancer Therapy and prevention	24
Molecular Oncology	26
Translational Tumour Biology	28
Tumour Biology And Targeting	34

CHILDREN'S CANCER INSTITUTE



A MESSAGE FROM EXECUTIVE DIRECTOR PROFESSOR MICHELLE HABER, AM



Children's Cancer Institute Executive Director: Professor Michelle Haber, AM

Today, as a result of medical research, eight out of 10 children will survive their cancer. But, unfortunately, nearly three children in Australia are still dying from this disease every week.

We believe this is three too many.

From the very beginning, our sole focus has been to cure all children with cancer and eliminate their suffering. While we are getting closer to this aim, there is so much more to do.

Children's Cancer Institute is the only independent medical research institute in Australia wholly dedicated to putting an end to childhood cancer.

Based in Sydneyat the Lowy Cancer Research Centre, UNSW Australia, we have world-class facilities and global collaborations with researchers and doctors, we drive discoveries into improved treatments as quickly as possible.

Children's Cancer Institute nurtures an environment of innovation, collaboration and learning. We are committed to fostering the next generation of research leaders. As one of our students you will be provided with personalised training in state-of-the-art facilities to bring out your best.

Student opportunities at the institute are listed in the following pages, if you are interested in exploring these further please get in touch with the listed supervisor or our Researcher Development and Strategy Manager, Dr Amanda Philp ➤ education@ccia.org.au

If you are interested in a particular area of research but do not find a project that appeals to you listed here, we encourage you to contact these teams directly to discuss a project to best suit both you and the rrea of reseach focus.



STUDENT



Our students bring great energy and enthusiasm, providing fresh ideas and perspectives to tackle the complex challenges faced in childhood cancer research today. As a student, you will be guided and mentored by a dynamic team of world class researchers who have strong collaborative links with research and clinical teams throughout the world. In addition to this you will have access to a comprehensive professional development program run by a dedicated team focussed on career development, state-of-the-art equipment and facilities, professional support staff, access to a full range of laboratory services and opportunities for overseas travel to present at conferences and work with collaborators and the support of your peers through the Children's Cancer Institute Student Council that runs activities throughout the year, including an annual student retreat.

POSTGRADUATE SUPPLEMENTARY AWARD

We offer a Supplementary Award of \$7000 per annum for up to 3.5 years to students who have been awarded a competitive scholarship. This will be awarded to students where the scholarship is equivalent to an Australian Postgraduate Award or University Postgraduate Award.

JOSEE HILTON POSTGRADUATE EXCELLENCE AWARD

These tax-free, competitive awards will be offered to a value of up to \$10,000 AUD per annum and are offered to students demonstrating exceptionally high potential who have succeeded in attracting a primary competitive scholarship such as an APA. This Excellence Award is in addition to the \$7000 top-up supplementary award.

HONOURS SCHOLARSHIP

We offer two honours year scholarships of \$5,000 tax free annually. Selection is based on academic achievement throughout the undergraduate degree, interest in cancer research, personal qualities, as well as other evidence as may be deemed relevant to future success in the area of biomedical research. Scholarships are awarded for one year and are not deferrable.

Applications for honours year scholarships will be open in July each year and close in early-November.

SUMMER STUDENTSHIPS

These scholarships are provided to outstanding undergraduate science students during the summer university break. Summer scholarships are a great way for students to get involved in real-life cancer research.

For further information and application forms for our Honours Scholarships and the Summer Student Program please visit the student pages on our website at <u>www.ccia.org.au</u> or contact

- Dr Amanda Philp, Researcher Development and Strategy Manager
- education@ccia.unsw.edu.au



Students prepare to go zip-lining on their annual student retreat

CHILDREN'S CANCER INSTITUTE



HOW TO BECOME A STUDENT

1. Browse the information and lists of student projects in this booklet.

2. Identify an area of interest, contact a potential supervisor and arrange a suitable project. When you contact potential supervisors, please include a CV and your most recent academic transcript.

3. Submit an admissions application to the University of New South Wales (UNSW). Honours students must be accepted into an Honours program in an appropriate UNSW Faculty. PhD students should successfully fulfil the requirements for admissions through UNSW.

- 4. Coordinate with your supervisor to obtain clearances from the appropriate Ethics Committees.
- 5. Begin your research program.

HONOURS

The standard duration of enrolment for an Honours degree is one academic year, actual dates for the honours programs you may enrol in can vary, please consult the websites below for more detailed information.

When you undertake an Honours project at Children's Cancer Institute you will be enrolled in a UNSW Honours program. Therefore, you need to meet the UNSW Honours entry criteria. For information regarding the three Honours Programs at UNSW that students may be enrolled in, please visit the following websites:

Bachelor of Science (Medicine) Honours Program (UNSW Medicine)

http://medprogram.med.unsw.edu.au/honours-program

School of Medical Sciences Honours Program (UNSW Medicine)

http://medicalsciences.med.unsw.edu.au/students/soms-honours/overview

School of Biotechnology and Biomolecular Sciences (BABS) Honours Program (Faculty of Science)

http://www.babs.unsw.edu.au/future_students/future-honours-students

POSTGRADUATE STUDIES

The majority of PhD students at the Institute are enroled throught the Faculty of Medicine, School of Women's and Children's Health, Paediatrics, Course Code 1825. Professor Richard Lock is the School's Postgraduate Coordinator and is responsible for advisiing supervisors and Higher Degree Research (HDR) candidates on all academic and administrative matters relating to their candidature.

UNSW Graduate Research School

The UNSW Graduate Research School is the central administrative and support unit for all higher degree research students and their supervisors at UNSW. The website below will direct you to information on admissions requirements and enrolment procedures to undertake postgraduate study at UNSW together with links to scholarship application forms for both local and international students.

http://research.unsw.edu.au/units/graduate-research-school

USEFUL LINKS FOR INTERNATIONAL STUDENTS

http://www.immi.gov.au/index.htm

http://www.international.unsw.edu.au



Professor Richard Lock

CANCER AND STEM CELL BIOLOGY



Group leader: Dr Jenny Wang

The main focus of research in the Cancer and Stem Cell Biology Group is to develop novel therapeutic strategies specifically targeting and destroying cancer stem cells that are often resistant to commonly used cancer therapies such as radiation therapy and chemotherapy, and that are now believed to be the engine driving the growth of a tumour and the root cause of treatment resistance and relapse in cancer.

Stem cells have become the centre of much attention because they are capable of dividing to produce copies of themselves (self-renewal) indefinitely and also generating multiple cell types. Genetic and epigenetic abnormalities enable cancer stem cells to hijack normal stem cell selfrenewal mechanisms that multiply out of control, causing cancer. Cancer stem cells are able to evade treatment and regenerate cancer through their self-renewal capacity. Targeted disruption of abnormal stem cell self-renewal represents a novel therapeutic strategy that could significantly reduce the capacity of a tumour to regenerate itself after treatment and is becoming a central focus in new drug development.

Objectives:

- T0 understand the mechanisms by which genetic and epigenetic events are required for transforming normal stem cells into abnormal stem cells
- To identify key oncogenic self-renewal genes and pathways as novel therapeutic targets
- To investigate the interaction between the bone marrow microenvironment and normal/abnormal blood stem cells
- To identify inhibitors selectively targeting blood cancer (leukaemia) stem cells without harming normal stem cells

CANCER AND STEM CELL BIOLOGY STUDENT PROJECTS

Project Title:

Supervisor: Suitable for: Project outline:

Targeted elimination of leukaemia stem cells through disruption of key oncogenic selfrenewal pathways Dr Jenny Wang ≥ jwang@ccia.unsw.edu.au

Honours and PhD Studies

Cancer therapies have historically depended on the use of cytotoxic drugs that non-specifically kill cells Acute myeloid leukaemia (AML) is an aggressive blood cancer with a five-year survival rate of only 24% in Australia. Despite intensive chemotherapy, the majority of patients with AML relapse and ultimately die from their disease.

Clinical evidence has supported the important role of leukaemia stem cells in the high relapse rate of AML patients. Leukaemia stem cells reside in a mostly quiescent state and as such they are resistant to commonly used anti-proliferation cytotoxic agents. These cells possess several unique features, including increased self-renewal, blocked differentiation and escaping from cell death. These features are caused by aberrant expression of oncogenic genes, and can distinguish leukaemia from normal stem cells. Targeted elimination of leukaemia stem cells is now believed to be essential for patients with AML to achieve a complete remission.

Our studies have identified key oncogenic self-renewal pathways (e.g. beta-catenin and GPR84, Science 2010 and Blood 2014) for AML stem cell formation and our exciting new findings of pathway inhibitors provide promising therapeutic approaches and opportunities to specifically target leukaemia stem cells. This project is designed to understand the mechanism of action of these inhibitors in order to develop more efficient stem cell-targeted therapies. The outcome of this study will generate new insights into leukaemia stem cell biology and provide pre-clinical validation of therapeutic potential. This research therefore has the potential to lead directly to the development of novel therapeutic strategies that selectively kill drug-resistant leukaemia stem cells.

CANCER AND STEM CELL BIOLOGY

Project Title: Supervisor: Suitable for: Project outline:

Epigenetic regulation of leukaemia stem cells - developing new epigenetic therapies

Dr Jenny Wang ≥ jwang@ccia.unsw.edu.au Honours and PhD Studies

Epigenetic regulation of gene expression plays crucial roles in stem cell functions. Inappropriate maintenance of epigenetic 'marks' - that sit on the nuclear DNA of cancer cells and control the activity of genes - results in activation of oncogenic self-renewal pathways leading to the formation of leukaemia stem cells and the subsequent development of leukaemia. Unlike genetic alterations, epigenetic marks can be reversed by treatment with chromatin-modifying drugs, making them suitable targets for epigenetic-based therapy.

Our preliminary studies have identified several new chromatin modifiers that contribute to leukaemia formation and progression. This project aims at exploring epigenetic mechanisms that govern leukaemia stem cell functions and at discovering chromatin-modifying drugs that are capable of reversing cancer-associated epigenetic marks. The outcome of this study will identify epigenetic targets crucial for leukaemia stem cell survival with the potential to develop novel epigenetic cancer therapies.

Project Title: Supervisor: Suitable for: Project outline:

Investigating tumour microenvironment in leukaemia stem cells

Dr Jenny Wang jwang@ccia.org.au Honours and PhD Studies

The bone marrow niche is a local microenvironment that supports blood-cell formation (haematopoiesis) and allows a stem cell to maintain its stemness property. Perturbation in haematopoietic microenvironment could cause stem cell dysfunctions and as a result, lead to haematopoietic malignancies.

reasing evidence suggests that leukaemia stem cells also require support from the bone marrow niche to maintain their self-renewal capacities. Our previous studies (Blood 2011) have shown that pre-leukaemia stem cells can home to and engraft the bone marrow niche, suggesting that stem cell – niche interactions are required for leukaemia initiation. The objective of this project is to identify critical events that are capable of converting a normal stem cell niche into a leukaemia stem cell niche and to investigate genetic and epigenetic regulation of the niche and its associated stem cells. The understanding of this oncogenic process would permit the development of novel therapeutic strategies targeting the leukaemia stem cell microenvironment.

Project Title: Supervisor: Suitable for: Project outline:

Developing RNA-based therapeutics targeting leukaemia stem cells

Dr Jenny Wang **≥** jwang@ccia.org.au Honours and PhD Studies

The recent discovery of non-coding RNAs (ncRNAs) has dramatically altered our view of gene regulation in cancer. NcRNAs can serve as regulatory molecules, playing a pivotal role in cancer progression and metastasis. Long ncRNAs (IncRNAs) are defined as non-protein coding transcripts longer than 200 nucleotides and have demonstrated oncogenic or tumour suppressive capabilities.

Our preliminary studies have identified a novel IncRNA and defined its essential role in inhibiting -catenin signalling, which is a critical driver of cancer stem cells in AML and several other cancers, such as lung, prostate and colon cancer. This study will characterise the role of the novel IncRNA in controlling the aberrant function of leukaemia stem cells and develop RNA-based therapeutics for leukaemia treatment.

Techniques: Cell culture, cell-based assays, drug response assays, molecular biology, gene editing, next-generation sequencing, protein expression, immunofluorescence, immunohistochemistry and cancer mouse models

COMPUTATIONAL BIOLOGY



Group leader: A/Prof Mark Cowley

Personalised Medicine is changing the way that cancer patients are treated. New technology is generating huge amounts of data from individual patient's tumours, data which holds the key to understanding each person's cancer.

Our group aims to improve outcomes for patients by getting the most out of that data. We develop computational approaches (algorithms) that can identify and prioritise clinically relevant mutations in a patient's cancer cells. If we can figure out what's driving those cells to grow, and/or how they overcome conventional therapies, we can use that information to help design the treatment strategies most likely to work.

Personalised medicine is increasingly becoming a data science, and so we also develop methods to integrate the data we generate with data in public access databases. This maximises its impact — the data doesn't just benefit individual cancer patients today, it also contributes to our overall understanding of cancer. This sort of collaborative multidisciplinary research answers bigger, fartherreaching questions.

Our goals are:

 \cdot to improve outcomes for children with high-risk cancer, through developing methods which improve the quality of precision medicine

- \cdot to develop innovative methods to characterise the molecular profile of each tumour, and use these to analyse large-scale public data sets
- \cdot to develop methods to investigate the impact of non-coding mutations on cancer
- \cdot to understand the increasing role of genetic factors underlying cancer predisposition

COMPUTATIONAL BIOLOGY

COMPUTATIONAL BIOLOGY STUDENT PROJECTS

Project Title: Supervisor:

Suitable for: Project outline: Measuring childhood cancer riskDr Mark Pinese➡ MPinese@ccia.org.au &A/Prof Mark Cowley ➡ MCowley@ccia.org.auPhD studies

How can we predict a person's chance of developing cancer? A good cancer risk predictor could enable the early detection of cancer and improve patient outcomes, but no such method has yet been developed. One promising route to a cancer risk test is by measuring DNA changes: as cancer begins with DNA damage, if it were possible to measure DNA damage in a person, this would provide a direct and dynamic readout of that individual's cancer risk.

This concept has been recently demonstrated in adults, where the presence of measurable DNA mutations in the blood was predictive of future cancer. In our laboratory, we have developed an algorithm that identifies adults with a 30% change to develop leukaemia within a decade, versus less than 1% for the general population. This finding indicates that by simply measuring DNA changes in the blood, it is possible to estimate an adult person's likelihood of developing cancer.



Dr Mark Pinese

It is unknown whether this is also the case in children. This project will investigate this possibility, by examining patterns of blood DNA mutation in up to 800 children with cancer, some of whom have known defects in DNA maintenance pathways. We hypothesise that the children with known DNA maintenance defects will display a distinct spectrum of blood DNA changes from the remainder, which can be used to define a blood DNA signature of DNA damage, and ultimately lead to a comprehensive blood-based test for cancer risk.

There is significant scope for method development in this project, both within molecular biology, and signal processing and statistical estimation, and candidates with a background or strong interest in either area are especially encouraged to apply.



Group Leader: Professor Michelle Haber AM

Research in the Experimental Therapeutics Group is directed at identifying critical genes or proteins that contribute to the unregulated growth and malignant behaviour of cancer cells. By identifying these 'molecular targets', we can work towards developing new cancer therapies based on blocking or modifying the action of these molecules, either using existing anti-cancer drugs or by developing novel anti-cancer agents.

Objectives:

- To understand the role of the MYCN oncogene and the related c-myc gene in regulating the behaviour of multidrug transporter genes in childhood and adult cancers
- To understand how the MRP1 and MRP4 multidrug transporter genes are involved in mediating neuroblastoma development and progression
- To develop and optimise clinically relevant small-molecule inhibitors of the MYCN and c-myc oncogenes, and MRP 1 and MRP 4 genes
- To develop a safer more effective treatment for neuroblastoma, involving inhibition of the ODC1 gene by DFMO combined with modern combination chemotherapy
- To establish a new laboratory model of metastatic neuroblastoma to study genes that promote tumour spread and to identify new treatment approaches to block that spread.

EXPERIMENTAL THERAPEUTICS STUDENT PROJECTS

Honours and PhD Studies

Project Title: Supervisor:

Targeting protein production in MYC-driven cancers

Dr Michelle Henderson ☑ MHenderson@ccia.org.au& Dr Jixuan Gao ☑ JGao@ccia.org.au

Suitable for: Project outline:

Less than half of the children with high-risk neuroblastoma survive their cancer. More selective and effective treatments are therefore needed. Some of the worst cases of neuroblastoma are driven by amplification of the MYCN oncogene, but direct targeting of MYCN has so far not been possible. We have identified the translation factor ABCE1 as a direct target of MYCN that is expressed at particularly high levels in the worst cases of neuroblastoma. Moreover, ABCE1 is essential for the growth and spread of high-risk neuroblastoma cells but not for survival of normal cells. We plan to exploit this discovery by developing a therapeutic against ABCE1 and thereby provide a safe and effective therapy for high-risk neuroblastoma and potentially other cancers that depend on this factor.

Projects working towards this goal are available in the following areas:

1) Identify small molecule inhibitors of ABCE1 using high-throughput screening of a library of compounds pre-selected by in silico screening

2) Examine the role of ABCE1 in other MYC-dependent cancers

3) Determine the precise mechanism of action of ABCE1 in MYC-driven protein synthesis

4) Examine the role of the related MYCN-driven translation factor ABCF1 in the malignant characteristics of neuroblastoma

Project Title: Polyamine depletion as a therapy for childhood neuroblastoma Supervisor: Professor Michelle Haber MHaber@ccia.org.au & Professor Murray Norris MNorris@ccia.unsw.edu.au & Suitable for: PhD Studies **Project outline:** Despite intensive treatments the majority of children with high risk neuroblastoma still die from disease, and surviving patients suffer from lifelong morbidities. Therefore new and safer therapies are urgently needed. Amplification of the MYCN oncogene occurs in approximately 20% of neuroblastomas and is a powerfulmarker of aggressive disease and poor outcome. Since MYCN itself is pharmacologically difficult to target, an alternative approach is to target downstream pathways necessary for tumour maintenance and progression. One such pathway is the polyamine pathway. Polyamines are highly-regulated essential cations that are elevated in rapidlyproliferating tissues. Ornithine decarboxylase (ODC1) is the first and rate-limiting enzyme

in polyamine biosynthesis, and high expression is highly predictive of poor outcome in neuroblastoma. In addition, ODC1 is a well-characterised transcriptional target of MYCN. We have recently shown that MYCN directly and positively regulates all of the other genes of the pathway involved in maintaining high polyamine levels, but negatively regulates those responsible for polyamine catabolism.

Targeting polyamine metabolism through ODC1 inhibition has long been an attractive approach for cancer therapy, and the first clinically approved ODC1 inhibitor to reach the market was difluoromethylornithine (DFMO). However, despite promising preclinical testing, early phase clinical trials in adult cancers were disappointing. DFMO treatment resulted in the activation of compensatory mechanisms, such as increased polyamine uptake from the bloodstream and tumour microenvironment, which counteracted the effect of inhibiting ODC1. Therefore to successfully deplete intracellular polyamines, multiple steps in the polyamine pathway need to be targeted.

We have demonstrated that neuroblastoma is particularly sensitive to polyamine depletion. In neuroblastoma mouse models, DFMO was found to significantly extend survival and to synergise with chemotherapeutics. Based on our findings, a clinical trial combining DFMO with conventional chemotherapy and celecoxib (an inducer of the catabolic arm of the polyamine pathway), is currently underway. Additional experiments in our transgenic mouse model suggest that combining DFMO with compounds that target other steps of the polyamine pathway will further improve the anti-tumour response. Approaches include inhibiting polyamine uptake, using polyamine analogues, and combining DFMO with compounds targeting metabolites upstream of the polyamine pathway.

The aim of this PhD is to identify compounds that can deplete polyamines, and to determine which combinations are optimal. We believe this is an exciting and powerful therapeutic strategy for the treatment of neuroblastoma.



Dr Michelle Henderson



Dr Jixuan Gao

Project Title:

	neuroblastoma	
Supervisor:	Dr Jamie Fletcher JFetcher@ccia.org.au & Dr Alvin Kamili AKamili@ccia.org.au & Dr Caroline Atkinson Ccia.org.au	
Suitable for: Project outline:	Honours and PhD studies Cure rates for children with high-risk neuroblastoma remain less than 50%, with dose-limiting toxicities and the adverse effects of conventional chemotherapy presenting major challenges. These challenges may be partially resolved by the implementation of personalised medicine strategies. These approaches seek to match an individual's tumour to specific targeted agents and provide an alternative to the "one-size-fits-all" approach of conventional chemotherapy. Patient-derived xenograft (PDX) models can facilitate proof- of-principle studies for personalised medicine and in the longer term these models have the potential to be integrated into the decision making process for cancer therapy. The aims of this project re to increase the success rate and to decrease the establishment time for PDX models of neuroblastoma. These studies comprise part of a broader personalised medicine initiative within CCI and the Sydney Children's Hospital Network	<image/> <caption></caption>
Aims:	1. To increase the success rate and to decrease the establishment time for PDX models of neuroblastoma.	
	 To validate models generated under optimised conditions To generate matched patient-derived cell lines (PDCLs) from these models for use in drug screening and follow-up studies 	
Techniques:	Techniques:	Dr Caroline Atkinson
	Mouse cancer models, histological and molecular analyses, cell culture techniques, drug response assays.	
Project Title:	Developing mouse models for high-risk neuroblast bioluminescent patient-derived xenograft (PDX) cel	
Supervisor:	Dr Caroline Atkinson 🛛 CAtkinson@ccia.org.au & Dr MoonSun Jung 🔄 MJung@ccia.org.au	
Suitable for:	Honours and PhD studies	
Project Title: Supervisor:	Targeting BCL-2 family proteins in high-risk neurokDr Alvin KamiliImage: AKamili@ccia.org.au &Dr Caroline AtkinsonImage: CAtkinson@ccia.org.au &Dr Jamie FletcherImage: JFetcher@ccia.org.au	olastoma
Suitable for:	Honours and PhD studies	
Project Title:	Lipidomic profiling of high-risk neuroblastoma for biomarkers and therapeutic targets	the identification of novel
Supervisor:	Dr Alvin Kamili 🛛 🖾 AKamili@ccia.org.au &	

RPandher@ccia.org.au &

Modelling personalised medicine for high risk

Suitable for:

Dr Ruby Pandher

Honours and PhD studies

PhD studies

Project Title:

Supervisor:

Suitable for: Project outline:

Improving relapse prediction for high-risk neuroblastoma

Neuroblastoma is a solid tumour of infancy and early childhood. Most children diagnosed with high-risk neuroblastoma (HR-NB) have disseminated disease at diagnosis, with survival rates ~50% despite combination chemotherapy, radiation therapy, and immunotherapy. Once a child with HR-NB relapses, there are no curative therapies available. While there is a robust pipeline of potential new therapies for HR-NB, there are substantial challenges with translating these new approaches into clinical reality.



Dr Jamie Fletcher

A key challenge is the need for reliable prediction or early

identification of patients at very high risk of relapse. In this research project, we will take advantage of two clinical trials for HR-NB patients to address this challenge; the HR-NBL2/SIOPEN trial, which enrols HR-NB patients at diagnosis, and the PRISM trial, which enrols HR-NB patients at relapse. We will conduct genomic analysis of neuroblastoma patient samples to determine the origin of relapse and determine whether DNA-based minimal residual disease detection can reliably monitor disease course and predict impending relapse. The project builds on the expertise of the research team in high-risk neuroblastoma, clinical trials, patient-derived xenograft (PDX) development, genomics and minimal residual disease testing. The specific aims of this study are:

Aims:

1. To determine whether relapse of high-risk neuroblastoma is driven by disseminated tumour cells present at diagnosis

2. To determine whether DNA-based minimal residual disease detection can more reliably predict impending relapse than the current RNA-based approach for high-risk neuroblastoma patients

3. To determine whether the ability of a patient's tumour to xenograft is a predictor of relapse and whether engrafted tumours are representative of the donor tumour

Project Title:	The role of tumour-derived exosomes in dissemination and metastasis of neuroblastoma	Alteres
Supervisor:	Dr Vinod Vijay Subhash <mark> </mark> VVijayasbhash@ccia.org.au&	
	Dr Jamie Fletcher	65
Suitable for:	Honours and PhD studies	ran'
Project Title:	Prognostic significance of circulating tumour cells (CTCs) in neuroblastomaa	renter
Supervisor:	Dr Vinod Vijay Subhash 📩 VVijayasbhash@ccia.org.au&	er
	Dr Jamie Fletcher JFetcher@ccia.org.au &	
	Dr Toby Trahair TToby.Trahair@health.nsw.gov.au	
Suitable for:	Honours and PhD studies	

Dr Vinod Vijay Subhash

Backgrount:

Despite impressive progress within the last few decades, childhood cancer is still the most common cause of death by disease in children. Moreover, surviving patients, especially young children, often experience severe longterm side effects caused by high-dose cytotoxic drugs and radiation. Developing more effective and safer therapies for childhood cancer is therefore urgently warranted. Recently, we discovered that several drug combinations, including CBL0137/ panobinostat which targets chromatin and DFMO/AMXT1501 which inhibits polyamine metabolism, exert potent antitumour effects in aggressive childhood cancer models, including neuroblastoma, MLL-rearranged leukaemia, and DIPG, while being well tolerated by the animals. Based on these promising results, phase I trials in children have been planned to test these com-pounds. Our potential honours/PhD projects will aim to understand the mechanisms underlying the synergy of these drugs and discover additional drug targets for childhood cancer..

Project 1 Title:	Investigating mechanism of action underlying the synergy of chromatin-targeting drugs	
Supervisor:	Dr Lin Xiao 🔁 LXiao@ccia.org.au & Dr Klaatje Somers AKamili@ccia.org.au	
Suitable for: Aims:	Honours and PhD studies 1. Determine the effects of chromatin-targeting drug combinations on chromatin integrity	
	2.Determine how these drugs activate the immune response	
	3. Determine if the immune response contributes to tumour inhibition	
Project 2 Title:	Developing biomarkers to predict treatment response of polyamine inhibitors in paediatric cancers	
Project 2 Title: Supervisor:	response of polyamine inhibitors in paediatric cancersDr Lin XiaoLXiao@ccia.org.au &	
-	response of polyamine inhibitors in paediatric cancers	

therapy




Dr Lin Xiao




Dr Klaartje Somers












FUNCTIONAL GENOMICS OF LEUKAEMIA



Group Leader: Dr Charles de Bock

Survival rates now approach 90% for children diagnosed with acute lymphoblastic leukaemia (ALL). However, current treatment often results in severe chronic health conditions, and outcomes for relapsed ALL cases remain poor. Considerable effort has been made to understand the molecular aberrations that underpin disease manifestation and progression, with the ultimate aim of developing novel therapeutic approaches tailored to an individual's mutational signature.

Although critical oncogenic mutations have now been identified through large-scale Next Generation Sequencing efforts, many of these mutations have only been studied in isolation, and targeting such mutations using a single therapeutic agent often fails to yield true clinical benefit. Hence, there is a critical need to move away from the current paradigm of 'one variant and one therapy'. To maximise clinical impact, we need to better understand the functional relationship between multiple co-occurring mutations, to enable the design of intelligent combination approaches for the treatment of ALL.

Our group aims to expand the understanding of how ectopic signalling and somatic mutations drive the development of ALL. For example, in T-cell ALL (T-ALL), these include activating mutations within JAK1, JAK3 and IL7R that lead to ligand independent activation of STAT5; inactivating mutations of PTEN that lead to PI3K/AKT signalling pathway activation; and a high frequency of NOTCH1 mutations. In addition, T-ALL is also characterised by the mutually exclusive expression of transcription factors including TAL1, TLX1, TLX3, HOXA9/10, LMO2 and NKX2-1, often the consequence of chromosomal rearrangements.

As part of our ongoing efforts, we use both cell line and in vivo mouse models together with CRISPR-Cas9, ChIP-seq, ATAC-seq, nanoporesequencing and RNA-seq base technologies to model how these different mutations cooperate with one another and drive disease. It is hoped that this in turn will help us design more targeted therapies for patients.

FUNCTIONAL GENOMICS **OF LEUKAEMIA**

IOncogenic cooperation in T-cell acute lymphoblastic leukemia

Project Title: Supervisor:

Dr Charles de Bock CdeBock@ccia.org.au & Prof Richard Lock

RLock@ccia.org.au

Suitable for: PhD studies **Project outline:**

Clinically, T-cell acute lymphoblastic leukemia (T-ALL) T-ALL patients have 10-20 damaging genomic lesions targeting critical cellular pathways including lymphoid development, cell cycle regulation, tumor suppression, and lymphoid signaling. Sequencing data from large cohorts of T-ALL patients now provides us a unique opportunity to analyze the associations between these different genetic lesions in an effort to seek new therapeutic strategies.

This project will have three broad aims:

Aim1: Determine the higher order transcriptional complexes recruited to genomic loci co-bound by both HOXA9 and STAT5

This will use rapid immunoprecipitation mass spectrometry of endogenous proteins (RIME) to isolate and characterize the transcriptional complexes where both STAT5 and HOXA9 are present and performed primarily within in transformed primary mouse hematopoietic progenitor cells. This will then be followed by a CRISPR/Cas gene screen to determine the reliance on identified factors in driving the oncogenic cooperation between STAT5 and HOXA9.

Aim 2: Analyse Cooperation between TLX3 and inactivation of BCL11B, CTCF or KDM6A.

In vivo bone marrow transplant experiments with CRISPR-Cas9 mediated knockdown of BCL11B, CTCF or KDM6A in conjunction with inducible TLX3 expression within early T-cell development to define whether these associations are also cooperating lesions.

Aim 3: Investigate the cooperation between FLT3 mutation and HOXA9 or TLX3.

In vivo bone marrow transplant experiments will be used to over express HOXA9 or TLX3 with FLT3 mutations. The mechanism of cooperation will be investigated using ChIP-, ATAC- and RNA-seq.

GENE DISREGULATION



Group Leader: Associate Professor Tao Liu

Research in the Gene Dysregulation Group focuses on the interplay among Myc oncoproteins, histone deacetylases (HDACs) and histone demethylases during tumour initiation and progression, the mechanism through which histone deacetylases and histone demethylases result in transcriptional repression of tumour suppressor genes, and the anticancer efficacy of histone deacetylase inhibitors and histone demethylase inhibitors.

Objectives:

- To investigate the role of the interplay among Myc oncoproteins, HDACs and histone demethylases in modulating gene transcription, the initiation and progression of neuroblastoma in children and pancreatic cancer in adults
- To determine the anticancer efficacy of novel inhibitors of the class III histone deacetylase SIRT1 against neuroblastoma
- To determine the role of histone demethylases in Myc-induced transcriptional modulation and tumourigenesis and the role of histone demethylase inhibitors in cancer therapy

GENE DYSREGULATION STUDENT PROJECTS

Project Title:	Histone demethylases and histone methyltransferases in modulating	
0	gene transcription, tumour initiation, progression and metastasis	
Supervisor:	A/Prof Tao Liu Z TLiu@ccia.org.au	
Suitable for:	Honours, Masters or PhD Studies	
Project outline:	One of the most important advances in cancer research in the last 5 years is the identification of histone demethylases and histone methyltransferases as critical players in gene transcription, tumour initiation, progression and metastasis. In collaboration with researchers at University of North Carolina (USA), Baylor College of Medicine (USA) and Nagoya City University (Japan), we are currently investigating histone demethylases and histone methyltransferases in modulating gene transcription, tumour initiation, progression and metastasis, as well as examining the use of histone demethylase inhibitors and histone methyltransferase inhibitors as novel anti-cancer agents in human cancer cell lines and in animal models of human cancers.	
	Techniques to be employed: cell culture, siRNA and plasmid transfection, cell proliferation, apoptosis, migration, invasion and metastasis assays, RNA, DNA and protein extraction, RT-PCR, immunoblot, immunoprecipitation, chromatin immunoprecipitation, molecular cloning, immunohistochemistry, immunocytochemistry, animal work, Affymetrix microarray and protein expression.	
Project Title:	Identification of novel proteins critical for Myc oncoprotein stabilisation / degradation	
	Supervisor: A/Prof Tao Liu 🗹 TLiu@ccia.org.au	
	Suitable for: Honours, Masters or PhD Studies	
Project outline:	Myc oncoproteins including N-Myc and c-Myc are over-expressed in approximately 50% of tumour tissues from the general population of cancer patients. One of the most important aspects of Myc oncogenesis is the stabilization/degradation of Myc oncoproteins. In the last 2 years, we have identified two novel pathways through which Myc oncoproteins are stabilized/degraded. The novel pathways for Myc oncoprotein stabilization/degradation provide novel targets for cancer therapy, and we are currently investigating proteins critical for the pathways and their roles as novel anti-cancer targets.	

Techniques to be employed: cell culture, siRNA and plasmid transfection, cell proliferation and apoptosis assays, RNA, DNA and protein extraction, RT-PCR, immunoblot, immunoprecipitation, chromatin immunoprecipitation, luciferase assay, ubiquitination assay and protein expression.

GENE DISREGULATION

Project Title:

Supervisor: Suitable for: Project outline:

The role of histone deacetylases in Myc oncogenesis and histone deacetylase inhibitors in cancer therapy

A/Prof Tao Liu ≤ TLiu@ccia.org.au

ILP, Honours, Masters or PhD Studies

Histone deacetylases (HDACs) repress the transcription of tumour suppressor genes and are involved in the initiation and progression of a variety of human cancers. Myc oncoproteins are over-expressed in approximately 50% of tumour tissues from the general population of cancer patients. We have found that Myc oncoproteins directly recruit HDACs to target gene promoters, leading to transcriptional repression of tumour suppressor genes and malignant transformation, and that therapeutic treatment with HDAC inhibitors reverses the effect of Myc oncoproteins in tumour-bearing transgenic mice.

In this project, we will further explore the interaction between HDAC and Myc oncoproteins, identify other components of the HDAC-Myc protein complex, and establish the role of HDAC inhibitors as effective agents for the prevention and treatment of Myc oncoprotein-induced cancers.z

Techniques to be employed: cell culture, siRNA and plasmid transfection, cell proliferation and apoptosis assays, RNA, DNA and protein extraction, RT-PCR, immunoblot, immunoprecipitation, chromatin immunoprecipitation, molecular cloning, immunohistochemistry, immunocytochemistry, animal work, Affymetrix microarray and protein expression.

Project Title: The critical roles of long noncoding RNAs in tumourigenesis and as targets for cancer therapy

Supervisor: Suitable for: Project outline: A/Prof Tao Liu TLiu@ccia.org.au

ILP, Honours, Masters or PhD Studies

Long intergenic noncoding RNAs (lincRNAs), which range in size from two hundred to tens of thousands of bases, comprise a distinct class of newly discovered noncoding RNAs. Although >3,000 human lincRNAs have been annotated and predicted by bioinformatics analysis, <1% of these have been experimentally characterized. Recent studies suggest that lincRNAs regulate gene transcription, tumour initiation, progression and metastasis. We have made the novel finding that gene amplification of a lincRNA is essential for the transcription of a critical oncogene, and is essential for neuroblastoma cell proliferation. We are currently investigating how the lincRNA modulates gene transcription of oncogenes and how to target the lincRNA for cancer therapy.

Techniques to be employed: RNA extraction, bioinformatics analysis of RNA sequencing data, cell culture, siRNA and plasmid transfection, cell proliferation and apoptosis assays, RT-PCR, immunoblot, immunoprecipitation, chromatin immunoprecipitation, molecular cloning, animal work, Affymetrix microarray and protein expression.

Project Title: Supervisor: Suitable for: Project outline:

Enhancing the anticancer efficacy of BET bromodomain protein inhibitors

A/Prof Tao Liu S TLiu@ccia.org.au
Honours, Masters or PhD Studies
BET bromodomain (BRD) proteins are emerging as critical oncogenic factors. The BRD inhibitor JQ1 and I-BET151 are among the most promising novel anticancer agents. Since discovered in 2010, JQ1 and I-BET151 have been shown considerable anticancer effects against leukemia, lymphoma, myeloma and lung cancer in vitro and *in vivo*, through blocking the transcription of oncogenes. Consequently, pharmaceutical companies are racing to test JQ1 and I-BET151 in cancer patients. However, the *in vivo* studies also show that JQ1 and I-BET151 do not cause cancer remission on their own. As such, combination treatment with the BRD inhibitors and other anticancer agents are expected to form the platform for novel efficient anticancer therapy in cancer patients. In this project, we would like to screen small molecule compound libraries, in order to identify the "hit" anticancer agent which exerts the best synergistic anticancer efficacy when combined with JQ1 or I-BET151. We expect

like to screen small molecule compound libraries, in order to identify the "hit" anticancer agent which exerts the best synergistic anticancer efficacy when combined with JQ1 or I-BET151. We expect that combination therapy with the "hit" anticancer agent and JQ1 or I-BET151 exerts dramatic and synergistic anticancer effects against cancer cell lines in vitro and causes cancer remission *in vivo* with no toxicity to normal tissues.



Group Leader: Professor Richard Lock

The Leukaemia Biology Group maintains a focus on investigating how childhood leukaemia develops resistance to conventional chemotherapeutic drugs, how new drugs can be rapidly tested and prioritised for clinical trials and how novel targets can be identified to develop a new generation of more effective and specific drugs to treat leukaemia.

Objectives:

- To gain a greater understanding of drug resistance mechanisms in relapsed paediatric acute lymphoblastic leukaemia (ALL), and design and test strategies to reverse resistance in preclinical experimental models
- To use preclinical models to prioritise new drugs for clinical trials in children with aggressive and chemoresistant leukaemia
- To identify new molecular targets that can be exploited for the development of a new generation of drugs that will specifically target leukaemia cells and spare the normal cells of the body

LEUKAEMIA BIOLOGY STUDENT PROJECTS

Project Title:

Supervisor:

Suitable for: Project outline:

Biosensors for the detection of minimal residual disease in leukaemia

Despite dramatic improvements in the survival of children with acute lymphoblastic leukaemia (ALL) over the past 50 years, relapsed ALL remains one of the most common causes of death from disease in children. There is a significant association between poor response to induction chemotherapy and an elevated level of minimal residual disease (MRD) leading to poor survival. MRD is one of the strongest prognostic factors and powerful predictors of outcome in newly diagnosed paediatric ALL. Thus, there is a great need for developing feasible and highly accurate tests for the diagnosis and prognostic assessment of cancer.



Dr Narges Bayat

Circulating tumour DNA (ctDNA) is derived from cancer cells and can act as a surrogate for the whole cancer cell genome. Therefore, the use of ctDNA as a cancer biomarker in liquid biopsy could provide highly sensitive and specific cancer diagnostic and prognostic information.

In this regard, nanotechnology-based biosensors are sensitive, easy to use, have short assay time, are non-toxic, and are thus ideal for detecting ctDNA. In this project our aim is to analyse and quantify the ctDNA in high risk leukaemia samples with known genetic aberrations in order to develop a biosensor diagnostic system. We will utilise a variety of cell and molecular biology techniques and a clinically relevant xenograft model of childhood ALL.

Nanomedicine For The Targeted Treatments Of Childhood Leukaemia

Project Title: Supervisor:

Suitable for: Project outline:

Acute lymphoblastic leukaemia (ALL) is the most common form of paediatric malignancy, and accounts for the greatest proportion of deaths from childhood cancer. Progress in chemotherapy treatment has drastically improved the survival rates in children with leukaemia. However, conventional therapeutic agents have inherent limitations such as low solubility, limited diffusion across cancer cell membranes, and low therapeutic index which leads to lower treatment efficiency. Moreover, the lack of target specificity of chemotherapy drugs leads to debilitating side effects in >60% of childhood cancer survivors. This highlights the importance of targeted delivery of drugs to cancer cells to ensure reduced toxicity on normal cells and a more efficient treatment.

In this project we will investigate the efficiency of different targeting moieties for leukaemia cells; these include antibody fragments (i.e. extracted antigen binding domains of antibodies) as well as aptamers (i.e. oligonucleotides). Due to their small size, these moieties can penetrate tissues inaccessible to full-size antibodies and are less likely to instigate immune response. The advantages and specificity of each targeting species against different cell surface receptors expressed on high risk ALL cells will be assessed. The ideal targeting moiety chosen will be conjugated with a nanoparticles-drug conjugate system in order to ensure that the chemotherapeutic drugs specifically affect cancer cells.

Our aim is to integrate cancer biology and nanotechnology in order to develop a novel targeted diagnostic and therapeutic system to improve the efficacy, as well as to reduce side effects of chemotherapy treatment in childhood ALL.

Project Title: Molecular determinants of responses of paediatric acute lymphoblastic leukaemia to novel and established drugs

Supervisor: Suitable for: Project outline: Prof Richard Lock San Indextablished drugs Prof Richard Lock San Indexta Prof Richard Lock San Indexta PhD Studies

Acute lymphoblastic leukaemia (ALL), the most common childhood cancer, causes an unacceptably high number of relapse related deaths in children. Therefore, new treatments for relapsed patients are urgently required. In the Leukaemia Biology Program at CCI we use cutting-edge technology to analyse molecular processes in relapsed ALL, gaining insight into dysregulated pathways and consequently identifying novel potential treatment targets. We have recently conducted whole genome sequencing (WGS) and transcriptome sequencing (RNAseq) to determine drivers of relapse in ALL patients. Potential drug targets, identified with these tools, can then be validated in proof-ofprinciple experiments and pharmaceutical treatment strategies can be tested in vitro using leukaemia cell lines. Additionally, we work with a well-established, pre-clinical experimental model of paediatric ALL whereby patient biopsies are engrafted directly into immune-deficient mice and can then be used to test novel treatment strategies in vivo, prior to translating these treatments into the clinic. We aim to:

1. Analyse primary patient samples using WGS and RNAseq to define a molecular disease profile in relapsed intermediate risk paediatric ALL

2. Carry out in vitro proof-of-principle forced genetics experiments to test hypotheses arising from the next generation sequencing approach

3. Test and validate novel pharmaceutical strategies arising from molecular profiling in our in vitro and in vivo model systems


Project Title:

Supervisor:

Suitable for: Project outline: Mechanisms of glucocorticoid resistance in acute lymphoblastic leukaemia

Dr Duohi Jing ➤ DJing@ccia.org.au Prof Richard Lock ➤ rlock@ccia.org.au & Honours & PhD Studies

Acute lymphoblastic leukaemia (ALL) is the most common childhood cancer and it remains one of the most common causes of death from disease in childhood. Glucocorticoids are critical components of multi-agent chemotherapy regimens used to treat childhood ALL. A subset of childhood ALL patients responds poorly to initial glucocorticoid monotherapy, and resistance to glucocorticoids is common at relapse. Moreover, glucocorticoid resistance is an overall indicator of poor patient outcome, despite resistant patients frequently being treated with higher dose



Dr Duohui Jing

chemotherapy regimens. However, clinically relevant mechanisms of glucocorticoid resistance remain poorly understood.

Several Honours/PhD projects are available on the central theme of glucocorticoid resistance, all of which will utilise a variety of cell and molecular biology techniques and a clinically relevant xenograft model of childhood ALL. The projects are as follows:

1.Carry out genome-wide analyses for the identification of critical genomic regions with abnormal chromatin accessibility associated with glucocorticoid resistance, using cutting edge techniques, such as ChIP-seq, ATAC-seq, RNA-seq etc. And verify the function of the candidate regions using luciferase reporter assays and CRISPR/Cas knockout studies.

2. Define the cell type-specific mechanism of glucocorticoid-induced apoptosis, since glucocorticoids potently induce apoptosis in ALL but not in other types of leukaemia.

3. Study glucocorticoid-induced modulation on metabolomics of ALL cells, since defects in metabolomics may be associated with poor response to glucocorticoids.

4. Carry out a genome-wide CRISPR screen to identify genes involved in glucocorticoidresistant ALL.

Project Title:	New treatments for high risk Ph-like ALL in children
Supervisor:	Prof Richard Lock 🔀 rlock@ccia.org.au &
	Dr Cara Toscan 🛛 🔽 ctoscan@ccia.org.au
Suitable for:	Honours and PhD Studies



Dr Cara Toscan

Project Title: Supervisor: Suitable for: Project outline:

New treatments for high risk Ph-like ALL in children

Despite dramatic improvements in the survival of children with acute lymphoblastic leukaemia (ALL) over the past 40 years, relapsed ALL remains one of the most common causes of death from disease in children. The Leukaemia Biology Program at CCIA is involved in national and international preclinical drug testing programs to prioritise new drugs for clinical trials in children with relapsed or drug resistant leukaemia.

Ph-like ALL is a high-risk subgroup with poor outcome often characterised by resistance to conventional chemotherapy, therefore new treatments for this subtype are urgently required. Ph-like ALL is generally characterised by a gene-expression profile similar to BCR–ABL1–positive ALL, except for the absence of the BCR–ABL1 fusion gene. Ph-like ALL exhibits deregulated phosphotyrosine-kinase signalling pathways, often involving mutations in the JAK-STAT pathway and frequent gene-fusions and overexpression of the CRLF2 gene. Apart from those common mutations, Ph-like ALL presents as a subtype with a high heterogeneity and patients could benefit from tailored treatments with drug combinations specific for their individual genetic lesions. A novel drug, the JAK-kinase inhibitor ruxolitinib, is currently being tested in a clinical trial against paediatric Ph-like ALL patients.

A diverse panel of Ph-like ALL patient-derived xenografts (PDXs) is available within the Leukaemia Biology Program and is currently being characterised by whole genome sequencing, exomesequencing, DNA copy number analysis and RNA-sequencing. This distinct PDX panel will be used to identify and test novel treatment strategies for Ph-like ALL. In particular, the efficacy of the JAK-kinase inhibitor ruxolitinib will be tested in combination with other specific drugs against different genetic subtypes of Ph-like ALL.

Honours/PhD projects are available within the program to further study the activity of novel drugs such as ruxolitinib in different combinations against paediatric Ph-like ALL experimental models (cell lines and PDX cells) in order to guide future clinical trials.

Potential projects involve the following:

1.Carrying out cell-based screens to identify drugs that exert synergistic killing of Ph-like ALL cells when combined with ruxolitinib or other approved drugs and subsequent analysis of underlying molecular mechanisms of drug effects using cell and molecular biology techniques.

2. Analysis of drug effects on phosphotyrosine signalling pathways in Ph-like ALL cells using stateof-the-art mass spectrometry technology and molecular biology techniques.



EMBRYONAL CANCER THERAPY AND PREVENTION



Group Leader: Professor Glenn Marshall AM Group Manager: Dr Belamy Cheung

The research focus of the Embryonal Cancer Therapy and Prevention Group:

The overall strategy of this Group is to dissect the mechanisms of cancer initiation and progression and use this information to develop more powerful treatments and prevention strategies for childhood cancer.

Objectives:

- To better understand the molecular basis of embryonal cancer initiation
- To evaluate p53 signal activators as postnatal rest deletion therapy
- To identify mechanisms of histone modification that contribute to carcinogenesis
- To better understand factors that promote the action of Myc oncoproteins in cancer cells
- To define molecular factors which increase retinoid sensitivity in

EMBRYONAL CANCER THERAPY AND PREVENTION STUDENT PROJECTS Project Title: Elucidating molecular mechanism by which novel

Elucidating molecular mechanism by which novel MYCN regulator stabilises MYCN and drives tumorigenesis

Supervisor: Suitable for: Project outline:

Dr Belamy Cheung Scheung@ccia.org.au ILP, Honours, Masters and PhD Studies MYCN amplification is an established indicator of poorprognosis in neuroblastoma and is observed in several different types of cancer. In a big ENU mutagenesis study, our group has identified a list of genes, when mutated, inhibit neuroblastoma tumourigenesis. Of note, mutation in one of the genes resulted in complete loss of tumour development and the protein was shown to be a novel regulator of MYCN stability. This project will investigate mechanisms by which the novel MYCN regulator stabilises MYCN and drives tumorigenesis. This will involve one or more of the following areas:



Dr Belamy Cheung

1. In vivo studies: genetically modified mouse and xenograft models

2. In vitro studies: genetic manipulation in cell culture using siRNA and plasmid transfection and lentiviral transduction; RNA and protein analyses using qPCR, immunoprecipitation and western blot; functional assays such as proliferation, apoptosis and ubiquitination assays; cellular analyses involving flow cytometry, immunocytochemistry and microscopy

3. Drug screening: to identify compounds with activity against the novel MYCN regulator and minimal side effects

Project Title: Chemical inhibition of ubiquitin-specific proteases for targeting MYCN protein stability

Supervisor:	Dr Belamy Cheung Scheung@ccia.org.au&
Suitable for:	Honours, Masters & PhD Studies

EMBRYONAL CANCER THERAPY AND PREVENTION

Project Title: Supervisor:

Suitable for: Project outline:

Targeting ALYREF for the treatment of neuroblastoma

Dr Zsuzsanna Nagy ZNagy@ccia.org.au & Dr Belamy Cheung bcheung@ccia.org.au Honours, Masters and PhD Studies

Neuroblastoma, the most common cancer in infants, arises from the developing sympathetic ganglia. Amplification of the MYC oncogene family member, MYCN, is the most important prognostic factor. Using MYCN deletion mutants, we found that the conserved MBII region responsible was necessary for death resistance. Our findings align with recent studies of a calpain cleaved product of MYC, called MYC-nick, which lacks the C-terminus and is crucial to resist nutrient factor deprivation in colon cancer. This project will examine the roles of MYCN and MYCN-nick in neuroblastoma initiation and progression. We hypothesise that the MBII region, will be necessary to apoptotic resistance and that MYCN-nick induces tumour promoting phenotypic changes. To test this hypothesis, we will transfect deletion mutants of MYCN and a plasmid construct for MYCN-nick into neuroblastoma cell lines to determine which structural regions are necessary to overcome stress stimuli. Additionally, we will determine if MYCN-nick induces anchorage independent growth and increases cell motility, which is necessary for neuroblastoma tumour progression. Further characterisation of MYCN protein domain structures may prove critical to the development of more effective neuroblastoma treatments.

Techniques

Cell culture, RNA extraction, siRNA knockdown, plasmid DNA transfection, apoptosis assays, immunoblot for protein expression.

Project Title:	Perinatal factors associated with initiation and development of childhood cancer
Supervisor:	Dr Belamy Cheung 🔽 bcheung@ccia.org.au&
	Dr Mukesh Raipuria 🔀 MRaipuria@ccia.unsw.edu.au
Suitable for:	Honours, Masters & PhD Studies
Project outline:	Neuroblastomas (NB) are pediatric malignancies with heterogenous phenotypes, ranging from
	spontaneously regressing to highly aggressive, incurable tumors. Although NB is considered
	a genetic disease, its etiology and heterogeneity cannot be explained solely by genetic
	aberrations. NB arises due to defects in sympathetic neuron (SN) differentiation occurring
	during fetal development. Our research lab has been working on mouse models of child cancer
	NB. NB arises due to defects in sympathetic neuron (SN) differentiation occurring during fetal

development. The environmental factors and genetic epidemiology studies aims to improve knowledge in the prevention of diseases, particularly child cancer. With several children's cancer such as Neuroblastoma and ALL, genetic factors, though important, are not sufficient to explain the increase in these diseases.

Recent findings from our lab and collaborators suggesting that environmental factors such as high birth weight, maternal diet supplemented with folate and omega 3 and nitrous oxide exposure during neonatal age are associated with occurrence of childhood cancer. The molecular mechanism behind these association are unknown; thus, we are establishing in vitro and in vivo animal model to understanding these association in relation to initiation and development of child cancer.

Aim 1. To evaluate impacts of dietary supplements, hormone and vitamins during pregnancy on initiation and development of NB in mice offspring.

Aim 2. Carry out in vitro studies to understand initiation and development of NB in presence/ absence of different environmental factors by using different cell lines and neurosphere.

MOLECULAR ONCOLOGY



Group Leader: Professor Murray Norris

The Molecular Oncology Group uses molecular genetic technology and small molecule drug screening approaches as a means of improving the diagnosis and treatment of children with malignant disease.

To isolate potential new pharmaceutical agents that target cancer-associated genes, we have been employing highthroughput screening of small molecule chemical libraries. Our research has identified a number of small molecule inhibitors of these targets in childhood neuroblastoma, as well as in infants with leukaemia. Both these groups of children have particularly poor survival rates compared with children with other tumour types.

The development of inhibitors of defined molecular targets – such as the MYCN and MLL oncoproteins and the MRP1 and MRP4 multidrug transporters – provides the opportunity to devise therapies that are more specific in their action and effective at low concentrations, and have an irreversible effect on cancer cells.

Objectives:

- To develop molecular targeted therapies for childhood neuroblastoma based on specific small-molecule inhibitors of key target genes
- To develop clinically relevant chemical small molecules that specifically inhibit leukaemia cells with an abnormal MLL gene
- To use large scale mutagenesis screens to identify novel genes and co-factors involved in MycN-driven neuroblastoma

MOLECULAR ONCOLOGYSTUDENT PROJECTS

Project Title: Supervisor:

Suitable for: Project outline:

A novel molecular target capable of abrogating neuroblastoma development

Although modern combination chemotherapy has significantly improved survival rates for many childhood cancers, the outlook remains dismal for a majority of children with advanced staged childhood neuroblastoma. These patients frequently display alterations in the cancer-causing gene MYCN and in order to improve their survival, alternative treatments are urgently required. Although MYCN has a clearly established role in driving the development of this disease, as yet, the critical molecular interactions involving this master gene regulator have not been sufficiently well defined to allow a clear understanding of how neuroblastoma develops. Using pre-clinical models and genome-wide technology, we have discovered a loss of function mutation in a gene that can completely block neuroblastoma growth. The gene is known to encode a non-DNA binding transcriptional regulator and importantly has not previously been implicated in neuroblastoma development or MYCN ongogenesis, although it has an established role in specific adult cancers. We hypothesise that this gene regulator forms a complex with MYCN to drive the expression of other cancer-promoting proteins, and as a result has a critical role in the initiation and development of neuroblastoma. This project will utilize a range of molecular and cellular technologies in order to investigate and understand the mechanism(s) behind the function of this complex. Given the current paucity of understanding of the processes involved in neuroblastoma initiation and development, these studies have the potential of elucidating an entirely novel approach to the treatment, and ultimately, prevention of this refractory childhood malignancy.

MOLECULAR ONCOLOGY

Project Title:

Supervisor:

Suitable for: Project outline:

Novel therapeutic approaches for high-risk leukaemia in children: targeting the immune system and leukaemic stem cells

Dr Michelle Henderson ➤ MHenderson@ccia.org.au Dr Klaartje Somers ➤ KSomers@ccia.org.au Honours and PhD Studies

Dramatic improvements in the long-term survival of children with ALL over the last 50 years have resulted in current cure rates exceeding 80% but there are certain subgroups classified as 'very high-risk' for whom the relapse rates are high and prognosis is dismal. Novel therapies that specifically target leukaemogenic pathways are urgently needed to improve the outcome for these patients. With this in mind we have been studying a new, targeted agent, named CBL0137, which blocks tumour growth by several mechanisms including by the inhibition of a histone chaperone called "FACT" and the activation of an interferon response. Moreover, work with other cancers indicates that CBL0137 can eradicate the cancer stem cells that are responsible for disease relapse. CBL0137 is about to enter paediatric cancer clinical trials and we have found this drug to be highly effective at killing leukaemia cells in animal models, without harming normal healthy cells.

The aim of this project is to further characterize the molecular effects of CBL0137 on leukaemias.

A number of approaches will be used to achieve this aim:

1.Generate novel immunocompetent patient-derived xenografts to evaluate the role of the immune response in the anti-tumour actions of CBL0137

2. Determine whether CBL0137 exerts part of its anti-tumour effect through inhibiting leukaemic stem cells

3. Develop novel patient-derived xenografts that can be used to model the emergence of relapsed ALL and to evaluate the effect of CBL0137 on factors driving disease relapse

4. Use molecular profiling of patient-derived samples to identify and validate determinants of response to CBL0137

Project Title: Supervisor: Suitable for:


NIdentification and characterization of novel MLL inhibitors



Dr Michelle Henderson



Dr Klaartje Somers



Group Leader: Associate Professor Paul Ekert

Our Group models and studies the genetic changes in the tumours of children on the Zero Childhood Cancer clinical trial. The goal is to understand how these altered genes cause cancer, and how new therapies can specifically target how altered genes function. We strongly believe that a detailed understanding of how gene changes cause cancer is the key to more effective, less toxic therapies. We work closely with the Computational Biology Group, who are the experts in the analysis of the cancer cells' genomes. Together, we discover the unique features in childhood cancer cells and decipher how they function.

Objectives:

- Investigate novel findings arising from the genomic analysis of children enrolled on the Zero Childhood Cancer trial in the lab.
 We use the molecular biology toolkit to probe the function of mutated genes, and how they might be more effectively targeted by treatments.
- Develop models of paediatric cancers to explore the molecular pathways that are altered in cancer. This is a major way we can identify potential new therapeutic options.

TRANSLATIONAL TUMOR BIOLOGY STUDENT PROJECTS

Honours and PhD Studies

Project Title: Biological modelling of FGFR1-altered paediatric cancers to identify effective therapeutic strategies

Supervisor:

I

Dr Lauren Brown S LBrown@ccia.org.au

Suitable for: Project outline:

Genomic analysis of over 400 paediatric cancer patients (by the Zero Childhood Cancer Program) has identified the recurrence of alterations, including single nucleotide variants, gene fusions, and intragenic deletions affecting the fibroblast growth factor receptor 1 (FGFR1) gene in a range of cancer types. FGFR1 encodes a receptor tyrosine kinase, which when activated in cancer typically results in activation of intracellular signalling pathways, including PI3K/AKT and RAS/MAPK, driving cell proliferation and survival. FGFR1 may be therapeutically targetable with tyrosine kinase inhibitors but further understanding of how specific variants drive cancer is needed to implement these therapies clinically.

This project aims to develop and use biological models to understand the mechanisms by which FGFR1 oncoproteins drive cancer and identify rational therapies to treat patients with FGFR1altered cancers.

In an honours project, the student would perform functional validation of a novel FGFR1 fusion gene using a range of molecular and cell biology techniques including cell culture, viral transfection/transduction, flow cytometry, western blotting, cell viability and proliferation assays, and drug treatment assays. In a PhD project, this work will be extended to include analysis of a broader range of FGFR1 variants to identify signalling mechanisms and drug susceptibilities that are common and unique to different FGFR1 variant classes. In addition to the techniques described above, the candidate will use unbiased screening methods including phosphoproteomics and high-throughput drug screening.

Project Title: Supervisor:

Suitable for: Project outline:

Investigating the biology of novel homeobox gene fusions in paediatric cancer

A/Prof Paul Ekert ➤ PEkert@ccia.org.au & Dr Lauren Brown ➤ LBrown@ccia.org.au

Honours and PhD Studies

Cancer in children, as in adults, is a disease caused by the accumulation of somatic mutations in previously normal cells. In many paediatric malignancies, a frequent event is the fusion of 2 genes to form a novel active oncogene which then drive the phenotypic traits (hallmarks) of cancer cells including unregulated proliferation and a resistance to cell death (apoptosis). We have identified several novel fusions which, as a common feature, drive the expression of homeobox genes, normally expressed during early development and which are thought to regulate gene expression programs controlling differentiation.

In this project, the student will use the tools of molecular and cellular biology to determine the mechanisms by which these novel homeobox oncogenes function to drive proliferation, repress cell death, regulate differentiation and activate oncogenic signalling pathways. The broad aims of the projects will include;

1. Determining how these fusions regulate differentiation programs using in vitro and in vivo model systems.

2. Identifying where in the genome the fusions bind, the molecular complexes in which they function, and the changes in gene expression they induce.

13 Use high-throughput drug screens to identify potential targeted therapies.

This project will engage the student in cancer biology and the generation of new models to study these fusion genes. Techniques such as CRISPR/Cas9 to modify genes and generate generate endogenous fusions, RNA sequencing, ChIP sequencing, protein analysis including phosphoproteomics will be employed in this project and the student will develop valuable skills in these methodologies.

The overall aim of this project is to determine the mechanisms by which homeobox fusion oncogenes drive cancer and use this molecular insight to identify ways in which these novel fusions can be therapeutically targeted.

Project Title:	Phosphoproteomic profiling for novel target identification in childhood sarcomas
Supervisor: Suitable for: Project outline:	Dr Emmy Fleuren ≥ EFleuren@ccia.org.au & Dr Ashleigh Fordham ≥ AFordham@ccia.org.au Honours and PhD Studies Sarcomas are a diverse group of rare, highly aggressive tumours of the connective tissue that disproportionally affect the young. Despite aggressive treatments, survival is limited (~20% in advanced setting) and side-effects frequently occur, stressing the unmet need to identify novel, tumour-specific treatments. Pinpointing clinically actionable targets is however extremely challenging in these tumours. Widely used genomics interrogations reported very few targetable defects.
	Tumour genomics are however only one piece of the puzzle, and the picture they paint is incomplete. As the actual oncogenic effect of a gene is carried out at the protein level, where it needs to be "switched on" (phosphorylated), it seems only logical to investigate deregulation directly on this level.
	Here, we have an excellent opportunity for a PhD/honours student to study the complete phosphorylation patterns (pTyr/pSer/pThr) of key effector molecules (kinases) in a diverse set of sarcoma cell lines, PDX models and unique patient samples, with the ultimate aim to identify novel, clinically actionable targets for young sarcoma patients. The student will work closely with the ZERO Childhood Cancer program (ZERO), a national clinical trial aimed at identifying targeted treatments for high-risk paediatric cancer patients (including sarcoma). The student will use a variety of molecular methodologies, including Mass-Spectrometry and targeted phosphoproteomic assays (Kinome Profiler/Western Blot/Immunohistochemistry). Functional relevance of identified targets will be validated using in vitro (drug screens/siRNA/CRISPR) and in vivo (drug efficacy) sarcoma models; exact techniques depend on honours/PhD level.
	Results have the potential to have an immediate clinical impact on sarcoma patients in ZERO.
Project Title: Supervisor: Suitable for: Project outline:	 Explaining unexplained drug responses in childhood sarcomas Dr Emmy Fleuren ≥ EFleuren@ccia.org.au & Dr Ashleigh Fordham ≥ AFordham@ccia.org.au Honours and PhD Studies Despite aggressive treatments, survival of young, high-risk sarcoma patients is poor and side-effects are frequent. No targeted treatment is available, underlining the unmet need for better and less toxic treatments. Finding better treatments is however challenging.
	The ZERO Childhood Cancer Program (ZERO) is Australia's first-ever personalised medicine program for

The ZERO Childhood Cancer Program (ZERO) is Australia's first-ever personalised medicine program for children with high-risk cancer, including sarcomas. ZERO's comprehensive testing platform is unique, as it includes not only whole genome, RNA and methylation profiling, but also functional in vitro and in vivo testing.

In this project, the student will address a major clinical challenge in ZERO: explain unexplained drug responses observed when we exposed high-risk paediatric sarcoma patient samples to 125 different anticancer drugs.

Excitingly, drug responses were observed in 60% of sarcoma patients. In at least 8 patients, we have however no idea why these patient's tumours respond so well. These unexplained drug responses turned out to be a major clinical-translational bottleneck: when we do not know why a drug is so effective in vitro, this drug is usually not recommended to the patient.

The student will use various molecular methodologies, including Mass-Spectrometry and targeted phosphoproteomic assays (Kinome Profiler/Western Blot/Immunohistochemistry) to investigate target activation patterns, and correlate this with genomics and transciptomics patient data. In vitro siRNA and drug assays will be employed for functional validations. For PhD students, broader kinome-siRNA/CRISPR screens (+/- drug) will be added, plus in vivo drug inhibition studies.

The ultimate aim is to generate the evidence needed to transform drug findings into actual clinical recommendations.

Project Title:

Supervisor:

Suitable for:

Project outline:

combination therapies for paediatric cancer treatment Dr Emmy Dolman EDolman@ccia.org.au & Dr Emmy Fleuren EFleuren@ccia.org.au

Honours and PhD Studies

More than 140 children with cancer die in Australia each year due to the occurrence of resistance to traditional chemotherapy. To improve overall survival rates for high-risk paediatric cancer patients, treatment developments have been shifted to personalised approaches. To achieve this aim, the Children's Cancer Institute initiated the Zero Childhood Cancer national personalised medicine trial (PRISM). Within this trial, tumour biopsies from children with high-risk cancer are collected for full molecular profiling to identify cancer driver events and the generation of patient-derived model systems to link these events to targeted therapies.

Exploiting aberrated DNA damage signaling signatures to identify personalised

DNA damage signaling plays an important role in cancer as impaired DNA repair enables cancer cells to accumulate oncogenic DNA lesions. Molecular profiling of PRISM samples indeed showed frequent aberrations in DNA repair genes such as CHEK1 and -2, ATM, BRCA1, MSH6 and TP53 as well as the presence of mutational signatures indicative for BRCA-deficiency or impaired mismatch repair. The current study aims to unravel the DNA damage signaling landscape of paediatric cancers and to investigate strategies to exploit this knowledge to develop personalised therapies. This will for example be done by high-throughput in vitro testing of a DNA damage/repair drug library on unique patient-derived model systems. As treatment with single agents has been proven to be insufficient for complete cure in most cases, most promising drug candidates will be further studied in vitro and in vivo to identify combination strategies overcoming tumour resistance to single agents. Results are aimed at guiding future clinical trials for paediatric cancer treatment.

Project Title: Integrative data analysis: from novel biomarker-drug response associations to predicting effective drug combinations

Dr Emmy Dolman Z EDolman@ccia.org.au &

Supervisor:

 Suitable for:
 Chelsea Mayoh ➤ CMayoh@ccia.org.au

 Project outline:
 Honours and PhD Studies

 More than 140 children with cancer die in Austri

More than 140 children with cancer die in Australia each year due to the occurrence of resistance to traditional chemotherapy. To improve overall survival rates for high-risk paediatric cancer patients, the Children's Cancer Institute initiated the Zero Childhood Cancer national personalised medicine trial (PRISM). Within this trial, tumour biopsies from children with high-risk cancer are collected for full molecular profiling to identify cancer driver events and for the generation of patient-derived model systems to link these events to targeted therapies.

WGS, RNA-Seq and DNA methylation profiling of >350 tumour samples showed actionable events in only 70% of the patients. High-throughput drug testing on 85 patient-derived samples yielded unexpected efficacy patterns for single agent targeted drugs without an associated predictive biomarker, but clinical trials for paediatric cancer have proven that treatment with single agents is insufficient in most cases. The current study aims to integrate PRISM molecular profiling and in vitro drug efficacy datasets to identify novel biomarker-drug response associations and predict effective drug combinations for paediatric cancer by developing novel bioinformatic algorithms. Publicly available databases such as DepMap, CancerrXGene and NCI-ALMANAC that contain in vitro efficacy data for single drugs and drug combinations alongside molecular characterisation of the used model systems will be exploited for algorithm optimisation and deeper integrative analysis. Novel discovered biomarker-drug response associations and in vitro in patient-derived model systems to guide future clinical trials for paediatric cancer treatment

Project Title:

Supervisor:

In vitro immunotherapy testing: towards next level personalised treatment identification

Suitable for: Project outline:

Around 200 children are diagnosed with high-risk cancer in Australia each year. Over 140 of these children still die due to the occurrence of resistance to traditional chemotherapy. To identify improved treatment options for paediatric cancer patients, the Children's Cancer Institute initiated the Zero Childhood Cancer national personalised medicine trial (PRISM). Within this trial, tumour biopsies from children with high-risk cancer are collected for full molecular profiling to identify cancer driver events that can be linked to targeted therapies. The same tumour biopsies are being used for the generation of patient-derived model systems for in vitro high-throughput (HTP) drug testing. This is crucial for the identification of personalised therapies for patients without actionable genomic events and the identification of novel biomarker-drug response correlations to guide future clinical trials.

Although promising, in vitro HTP drug screening is performed using model systems lacking the complex microenvironment of the original tumours. This allows us to test only drugs directly acting on tumour cells, thereby ignoring the important role of the immune system in cancer progression. The current study aims to develop patient-derived co-cultures of tumour cells with immune cells for in vitro immunotherapy testing. Co-cultures will be used to explore their potential in predicting patient responses to clinically approved/studied antibodies blocking immune checkpoint or NK self-recognition and in the identification of immunotherapy combinations with targeted drugs. When successful, immunotherapy testing on co-cultures will be integrated in the national precision medicine trial to further improve the identification of successful treatments for children with cancer.

Project Title: Supervisor:

Suitable for: Project outline:

Tailored PROTACs to target the undruggable in paediatric cancer

PhD Studies

Around 200 children are diagnosed with high-risk cancer in Australia each year. Over 140 of these children still die due to the occurrence of resistance to traditional chemotherapy. To identify improved treatment options for paediatric cancer patients, the Children's Cancer Institute initiated the Zero Childhood Cancer national personalised medicine trial (PRISM). Within this trial, tumour biopsies from children with high-risk cancer are collected for full molecular profiling to identify cancer driver events that can be linked to targeted therapies. The same tumour biopsies are being used for the generation of patient-derived model systems for in vitro high-throughput (HTP) drug testing. This is crucial for the identification of personalised therapies for patients without actionable genomic events and the identification of novel biomarker-drug response correlations to guide future clinical trials.

Results so far show that 70% of the patients harbour events in genes that can be hit by clinically available or investigated drugs. However, drug effects in some cases do not cover all oncogenic functions associated with the aberrated gene (e.g. EZH2) or, alternatively, can be circumvented by allosteric effects of other proteins (e.g. CDK4). In addition, there are still numerous driver events in paediatric cancer for which no drug is available (e.g. transcription factor fusion genes). The current project aims to target incompletely drugged or undruggable cancer drivers identified in high-risk paediatric cancer patients by developing tailored proteolysis-targeting chimeras (PROTACs). Instead of target inhibition, bifunctional PROTACs cause ubiquitination-mediated proteasomal degradation by recruiting E3 ligases to the targets of interest. PROTACs are associated with more potent and longer lasting effects compared to conventionally studied small-molecule drugs and open new avenues for improved paediatric cancer treatment.

Project Title: Supervisor:

Suitable for: Project outline:

r.

Immune Profiling and Immunotherapy for High-Risk Paediatric Sarcomas

Honours and PhD Studies

Sarcomas are a diverse group of connective tissue tumours that account for ~10% of childhood cancers. However, they are relatively understudied and poorly understood. There is a distinct lack of targeted and effective treatments for children with high-risk tumours. Outcomes remain poor for these patients, with <30% chance of survival. This project aims to improve treatment of these high-risk sarcomas by harnessing a patient's own immune response to improve their survival and quality of life.

In Aim 1, we will intensively examine the immune microenvironments of high-risk sarcoma patients enrolled in the ZERO Childhood Cancer Program, by combining DNA and RNA sequencing analysis with multiplex immunohistochemistry. This unique and complex dataset will allow us, for the first time, to obtain a comprehensive understanding of the immune profiles of high-risk paediatric sarcomas, identifying subsets of immune-inflamed "hot" and non-inflamed "cold" tumours, and pinpointing the most clinically relevant and targetable immune checkpoints.

In Aim 2, this data will be used to inform the design of new immunotherapeutic strategies to test in preclinical immunocompetent models of sarcomas, initially in fusion-positive and fusion-negative models of rhabdomyosarcoma, and osteosarcoma. We expect that immune-inflamed "hot" tumours will respond well to immune checkpoint inhibitors as monotherapy, while non-inflamed "cold" tumours will require combination therapy with other immunomodulatory drugs to achieve optimal results.

This research project will present a new paradigm for the treatment of high-risk sarcomas, with the longterm goal of translating immune profile-based treatment approaches into the clinic in a personalised setting.

TUMOUR BIOLOGY AND TARGETING



Group Leader: Professor Maria Kavallaris

Tumour Biology and Targeting Program, Children's Cancer Institute

Australian Centre for NanoMedicine, UNSW

Cancer remains the major cause of disease-related death in children in Australia. The Tumour Biology and Targeting Program research focuses on understanding cancer biology (how tumours grow and move), cancer therapeutics (drug resistance and drug discovery) and the development of effective and less toxic therapies using nanotechnology.

TUMOUR BIOLOGY AND TARGETING STUDENT PROJECTS

Project Title: Precision nanomedicine for the treatment of neuroblastoma

Supervisor:

Prof Maria Kavallaris Mavallaris@ccia.unsw.edu.au & A/Prof Joshua McCarroll ≥ jmccarroll@ccia.org.au & Dr. Ernesto Moles Z emoles@ccia.org.au Suitable for: PhD Studies

Project outline: Childhood cancer is responsible for the greatest number of deaths from disease in children and young adolescents in Australia. One of these childhood cancers is neuroblastoma. It is often diagnosed at advanced stage disease which means it has already spread to multiple sites in the body. High-risk neuroblastoma patients represent half of all new neuroblastoma cases each year and less than 50% of children are alive 5 years after diagnosis.

Children presenting with high-risk neuroblastoma tumours undergo invasive and toxic medical procedures during treatment, which can severely impact their quality of life. Even if treatment is successful, they often suffer from life-long consequences of the aggressive therapy. There is an urgent unmet need for new therapies, which are not only effective but also reduce the toxicity to normal healthy tissue.

This research project will focus on developing new classes of medicines using nanotechnology. Nanotechnology is the engineering of materials at the nanometer scale - or to put in perspective this is one thousandth the width of a human hair. We are developing nanoparticle delivery systems that can be packaged with drugs or gene silencing material, and can carry their cargo and target tumour cells where they can release the drug where it is needed. The aim of this approach is to spare the normal healthy cells.

The exciting aspect of this PhD project is that it will focus on the development of a new targeted nanomedicine therapy for neuroblastom



A/Prof Joshua McCarroll



D.r. Ernesto Moles

TUMOUR BIOLOGY AND TARGETING

Project Title:

Supervisor:

Suitable for: Project outline:

Dissecting the role of endoplasmic reticulum stress in cancer cell progression and metastasis in the tumour microenvironment

Dr. Angelica Merlot ➤ amerlot@ccia.org.au& Prof Maria Kavallaris ➤ mkavallaris@ccia.org.au Honours & PhD Studies

Cancer metastasis is a major clinical problem that accounts for almost 90% of cancer-related deaths. Understanding the fundamental biological processes that lead to tumour metastasis is critical for the development of effective anti-cancer drugs. Moreover, there is an urgent need to better understand the molecular pathology of cancer to improve patient selection for current treatment options and develop novel therapeutic strategies.



Dr. Angelica Merlot

This project aims to dissect the mechanism by

which the pro-survival pathways of the Endoplasmic Reticulum modulates cancer progression and metastasis. Moreover, studies have demonstrated that these signals can be transmitted between cancer cells and cancer-associated helper cells, known as stromal cells. Considering the importance of cancer-stromal cross-talk in cancer development, we aim to elucidate the functional significance of this transmission for the first time.

This study will use cell culture (a range of cells lines, including glioblastoma, pancreatic, etc.), molecular biology techniques, fluorescent/confocal microscopy, orthotopic mouse model, immunohistochemistry of patient samples, etc.

Project Title:

Developing albumin-based nanoparticles that overcome drug resistance and metastasis


Supervisor:

Suitable for:

Project outline:

Dr. Angelica Merlot amerlot@ccia.org.au& ProfMaria Kavallaris mkavallaris@ccia.org.au Honours & PhD Studies

This project will result in an exciting new class of albumin-based nanoparticles that markedly increase the efficacy of novel anti-tumour drugs, known as thiosemicarbazones, that are currently in clinical trials. These agents possess a unique combination of potent and selective properties against cancer cells that effectively inhibits the "triad of death" in cancer: namely primary tumour growth, metastasis and multi-drug resistance, representing an exciting new therapeutic avenue.



Dp44mT reduces the incidence and growth of metastatic cancer cells. Lui W, et al. (2012) EMBO Mol Med; 4:93-108.

The project will use a combination of techniques including: nanoparticle synthesis, the use of patient derived cell lines, orthotopic mouse models, molecular biology experiments, microscopy, invasion/migration assays, etc.



UNSW Australia CRICOS Provider Code 00098G